

Web Form Requirements for CCBHC Claims 2400 NTE Segment: Pennsylvania

PPS-1 Claims: MCO (Health Choices) and FFS — 7/1/2017

Per the Pennsylvania Department of Human Services, CCBHC PA Partners will submit PPS-1 claims (T1040 procedure code and daily rate) and CCBHC service encounter data (zero-dollar billing lines with actual procedure codes & modifiers) to their MCOs, and only the T1040 procedure code and daily rate to MA FFS (PA DHS/OMHSAS) within the 837P EDI format. Please use the configuration steps below to support the Pennsylvania EDI Billing Guidelines for CCBHC claims.

2400 Loop - Service Specific NTE Segment Requirements:

For all PA CCBHC 837P reporting, Credible needs to be able to generate a Client Service specific NTE Segment into the 837P 2400 Loop (on multi-service claims).

NTE Segments are required for all CCBHC Service Lines (2400 Loop):

- Every NTE01 must be set to "ADD"
- Every NTE02 must adhere to the new-expanded CCBHC NTE format (see below)
- Every data element reported in NTE02 must be delimited by a 'bar' symbol (|)
- There is currently a limit of 5 Evidence Based Practice (EBP) codes for each Service Line
- If not all 5 EBP code fields are reported, truncate NTE02 string after last code:
NTE*ADD*aa|C|bbbbbbbbbbbbbb|ccc

NTE02 Layout for PA CCBHC Claims:

NTE*ADD*aa|C|bbbbbbbbbbbbbb|ccc|ddd|eee|fff|ggg~

aa = EPSDT code

Hard-coded uppercase 'C' for CCBHC service lines

bbbbbbbbbbbbbb = 13 digit MPI+Service Location of the CCBHC or DCO

ccc = First EBP code (if applicable)

ddd = Second EBP code (if applicable)

eee = Third EBP code (if applicable)

fff = Fourth EBP code (if applicable)

ggg = Fifth EBP code (if applicable)

Credible will be using a variety of data values in order to report the required NTE format:

1. **EPSDT Code** Values (aa) will be pulled from a specifically configured Web Form question attached to the service record.
2. The Hard-coded uppercase 'C' will be included if the Billing Payer setting '**Use Custom Pennsylvania Reporting Note**' = TRUE (checked). *Enhancement Coming Soon*
3. The 13 digit MPI+Service Location of the CCBHC or DCO (bbbbbbbbbbbbbb) will be reported from the **Alternate ID** (L2010BB – REF02 – Billing Provider Secondary ID) field in the Provider Config record linked to the Billing Group which is attached to the service record. (NOTE: One Provider Config & Billing Group combination is required for each CCBHC 13 digit MPI+Service Location value that a Partner has.)
4. Up to 5 **EBP Code** Values (ccc|ddd|eee|fff|ggg) will be pulled from 5 specifically configured Web Form questions attached to the service record.

The data elements stored above will be concatenated together for the CCBHC Payers to report the required NTE02 format, which will be reported on the MCO CCBHC Claims and in the MA FFS supplemental file.

Enhancement Coming Soon

Below are the detailed steps to configure the CCBHC Web Form questions and responses in order to begin storing the data required to complete the 837 2400 NTE Segment:

Add the following questions and responses as indicated below to all Web Forms attached to billable CCBHC Service types. (Hint: A Web Form category with the specified configuration can be created and added to multiple Web Forms.)

The screenshot shows a web browser window with the address bar displaying a URL from demo.crediblebh.com. The page title is 'PA CCBHC 837P'. The main content area is titled 'Evidence-based Programs and Practices (EBPP) Coding'. It contains six dropdown menus: 'EPSDT Code', 'EBP Code 1', 'EBP Code 2', 'EBP Code 3', 'EBP Code 4', and 'EBP Code 5'. Each dropdown menu has a '---SELECT---' option. A 'Complete' button is located at the bottom right of the form.

Requirements for CCBHC NTE Web Form Questions:

- The Web Form Questions will need to have **External Codes** so that Credible can run scripts later to populate a new claim note table that will house the concatenated NTE data.
 - The Question **External Codes** are: epsdtcode,ebpcode1,ebpcode2,ebpcode3,ebpcode4, and ebpcode5
- Each of the questions will be defined as a dropdown field.
- Partners will have the best visual results within the service notes by manually adding the answers in the form builder.
 - Make sure each answer has the **External Code** needed for the NTE. (For example, use YB as the external code for 'Behavioral' EPSDT.)

(NOTE: If you choose to use the 'Is Lookup' functionality, the Lookup ID MUST be configured to be the code needed for the NTE.)

START EPSDT Code QUESTION / ANSWERS

Note: "epsdtcode" in External Code field

The screenshot displays the Credible form builder interface. On the left is a tree view of the form structure, including 'PA CCBHC 837P', 'START PA CCBHC 837P', 'Evidence-based Programs and Practices (EBPP) Coding', and 'EPSDT Code' (which is highlighted). Below these are categories like Behavioral, Dental, Hearing, Vision, and Other, followed by EBP Code 1 through 5. The main panel on the right shows the configuration for the 'EPSDT Code' question. The 'Question' field is set to 'EPSDT Code' and the 'Answer Format' is set to 'DropDown'. The 'Order' is 2, 'Category Required' is False, 'Form Required' is False, and 'Include In Summary' is False. The 'External Code' field is set to 'epsdtcode'. Below these are fields for 'SNOMED Code' and 'LOINC Code'. An 'Advanced Options' section contains various settings: 'Control Align' (Right), 'Label Position' (1), 'After Spacing' (0), 'Label Bold' (False), 'Can Be Hidden' (False), 'Is Lookup' (False), 'Field Map' (Select Field), 'Line Break' (True), 'Control Position' (1), 'After Line' (False), 'Label Large' (False), and 'Is Hidden' (False). At the bottom are 'Save Question' and 'Add New Answer' buttons.

Home Client Employee Schedule Visit Inpatient Admin Billing Reports Forms

PA CCBHC 837P

START PA CCBHC 837P

PA CCBHC 837P

- Evidence-based Programs and Practices (EBPP) Coding
 - EPDST Code
 - Behavioral
 - Dental
 - Hearing
 - Vision
 - Other
- EBP Code 1 (example using manually added answers, answer's external code is the EBP Code)
- EBP Code 2 (example using Is Lookup set to true; Lookup ID must be set to the field having the EBP c)
- EBP Code 3
- EBP Code 4
- EBP Code 5

Answer

Answer: Behavioral

External Code: YB * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 1

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein:

Timeout:

Matrix: --- SELECT ---

Long Text:

Save Answer

PA CCBHC 837P

START PA CCBHC 837P

PA CCBHC 837P

- Evidence-based Programs and Practices (EBPP) Coding
 - EPDST Code
 - Behavioral
 - Dental
 - Hearing
 - Vision
 - Other
- EBP Code 1 (example using manually added answers, answer's external code is the EBP Code)
- EBP Code 2 (example using Is Lookup set to true; Lookup ID must be set to the field having the EBP c)
- EBP Code 3
- EBP Code 4

Answer

Answer: Dental

External Code: YD * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 2

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein:

Timeout:

Matrix: --- SELECT ---

Long Text:

PA CCBHC 837P
START PA CCBHC 837P
PA CCBHC 837P
Evidence-based Programs and Practices (EBPP) Coding
EPDST Code
Behavioral
Dental
Hearing
Vision
Other
EBP Code 1 (example using manually added answers, answer's external code is the EBP Code)
EBP Code 2 (example using Is Lookup set to true; Lookup ID must be set to the field having the EBP c
EBP Code 3
EBP Code 4

Answer

Answer: Hearing

External Code: YH * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 3

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein:

Timeout:

Matrix: --- SELECT ---

Long Text:

PA CCBHC 837P
START PA CCBHC 837P
PA CCBHC 837P
Evidence-based Programs and Practices (EBPP) Coding
EPDST Code
Behavioral
Dental
Hearing
Vision
Other
EBP Code 1 (example using manually added answers, answer's external code is the EBP Code)
EBP Code 2 (example using Is Lookup set to true; Lookup ID must be set to the field having the EBP c
EBP Code 3
EBP Code 4

Answer

Answer: Vision

External Code: YV * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 4

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein:

Timeout:

Matrix: --- SELECT ---

Long Text:

PA CCBHC 837P
START PA CCBHC 837P
PA CCBHC 837P
Evidence-based Programs and Practices (EBPP) Coding
EPDST Code
Behavioral
Dental
Hearing
Vision
Other
EBP Code 1 (example using manually added answers, answer's external code is the EBP Code)
EBP Code 2 (example using Is Lookup set to true; Lookup ID must be set to the field having the EBP c
EBP Code 3
EBP Code 4

Answer

Answer: Other

External Code: YO * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 5

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein:

Timeout:

Matrix: --- SELECT ---

Long Text:

START **EBP Code 1** QUESTION / ANSWERS (External Code = ebpcode1)

Note: This is an example using manually added drop down answers within the Web Form. (Recommended)

Question

Question: EBP Code 1 example using manually added answers, answer's external code

Answer Format: DropDown * A standard dropdown control.

Order: 3

Category Required: False

Form Required: False

Include In Summary: False

External Code: ebpcode1

SNOMED Code:

LOINC Code:

Advanced Options:

Control Align: Right Line Break: True

Label Position: 1 Control Position: 1

After Spacing: 0 After Line: False

Label Bold: False Label Large: False

Can Be Hidden: False Is Hidden: False

Is Lookup: False

Field Map: Select Field

Save Question Add New Answer

Add Each EBPP Description in the Answer field and the associated EBP Code in the External Code field:

Note: Add only those EBPP Descriptions and Codes that your agency and your DCOs will utilize.

Answer

Answer: Adolescent Community Reinforcement Approach (A-CRA)

External Code: 600 * External codes will be used for mapping if entered.

SNOMED Code: * SNOMED codes will be used for CQM reporting.

LOINC Code: * LOINC codes will be used for CQM reporting.

Order: 1

Has Notes: NO * All notes on answers are displayed together for a single question.

Is Default: NO

Is Notification Trigger: NO

Split Visit When Checked: False

Visit Type: --- SELECT ---

Program: --- SELECT ---

Timein: [Clock Icon]

Timeout: [Clock Icon]

Matrix: --- SELECT ---

Long Text:

Save Answer

If manually adding answer within the Web Form (recommended), continue adding answers to the “EBP Code 1” Question until all appropriate EBP Codes are accounted for.

Then continue adding Questions & Answers for all 5 possible reported EBP Codes: “EBP Code 2” through “EBP Code 5” with External Code values = ebpcod2, ebpcod3, ebpcod4, and ebpcod5, respectively.

Note: Correct **External Codes** are extremely important, as this is how Credible will be able to inject the data values into a new Client Service table for 837 reporting purposes.


START EBP Code 1 QUESTION / ANSWERS (External Code = ebpcode1)

Note: This is an example of using 'Is Lookup' set to true. (Lookup ID must be set to the field having the EBP code)

Admin > Custom Lookup Categories > Create PA_CCBHC_EPSDT category list (Code field = EPSDT Code value)

| ID | Code | Description | Short Description | Ext Code | Outcome Value | HL7 Code | Deleted |
|---------------------------|------|-------------|-------------------|----------|---------------|----------|------------------------------|
| edit 1309 | YB | Behavioral | | | | | False delete |
| edit 1307 | YD | Dental | | | | | False delete |
| edit 1310 | YH | Hearing | | | | | False delete |
| edit 1308 | YM | Medical | | | | | False delete |
| edit 1312 | YO | Other | | | | | False delete |
| edit 1311 | YV | Vision | | | | | False delete |

Admin > Custom Lookup Categories > Create PA_CCBHC_EBP category list (Code field = EBP Code value)



[Home](#)
[Client](#)
[Employee](#)
[Schedule](#)
[Visit](#)
[Inpatient](#)
[Admin](#)
[Billing](#)
[Reports](#)
[Forms](#)
[Funds](#)

Logged

Category: PA CCBHC EBP Display

[Add a New PA_CCBHC_EBP Entry](#)

PA_CCBHC_EBP List:

| ID | Code | Description | Short Description | Ext Code | Outcome Value | HL7 Code | Deleted |
|----------------------|------|-------------|---|----------|---------------|----------|------------------------------|
| edit | 1276 | 001 | Brief Strategic Family Therapy (BSFT) | | | | True delete |
| edit | 1289 | 002 | Families and Schools Together (FAST) | | | | False delete |
| edit | 1291 | 003 | High Fidelity Wraparound | | | | False delete |
| edit | 1299 | 004 | Positive Parenting Program (Triple P) | | | | False delete |
| edit | 1268 | 100 | Alternatives for Families- A Cognitive Behavioral Therapy (AF-CBT) | | | | False delete |
| edit | 1295 | 101 | Mental Health First Aid | | | | False delete |
| edit | 1301 | 102 | Transition to Independence Process Model (TIP) | | | | False delete |
| edit | 1274 | 200 | Attachment-Based Family Therapy (ABFT) | | | | False delete |
| edit | 1278 | 201 | Child Parent Therapy (CPP) | | | | False delete |
| edit | 1281 | 202 | Cognitive Behavioral Therapy (CBT) for Adolescent Depression | | | | False delete |
| edit | 1286 | 203 | Dialectical Behavioral Therapy (DBT) – Child | | | | False delete |
| edit | 1292 | 204 | Homebuilders | | | | False delete |
| edit | 1297 | 205 | Multisystemic Therapy(MST) | | | | False delete |
| edit | 1298 | 206 | Parent Child Interaction Therapy (PCIT) | | | | False delete |
| edit | 1302 | 208 | Trauma Focused Cognitive Behavioral Therapy (TF-CBT) – Child | | | | False delete |
| edit | 1305 | 209 | Treatment Foster Care Oregon (TFCO) | | | | False delete |
| edit | 1269 | 300 | Assertive Community Treatment (ACT) | | | | False delete |
| edit | 1273 | 301 | Assisted Outpatient Treatment (AOT) | | | | False delete |
| edit | 1279 | 302 | Cognitive Behavioral Social Skills Training | | | | False delete |
| edit | 1280 | 303 | Cognitive Behavioral Therapy (CBT) | | | | False delete |
| edit | 1282 | 304 | Cognitive Processing Therapy (CPT) | | | | False delete |
| edit | 1283 | 305 | Cognitive-Behavioral Therapy for Posttraumatic Stress Disorder (PTSD) | | | | False delete |
| edit | 1287 | 306 | Dialectical Behavioral Therapy (DBT) - Adult | | | | False delete |
| edit | 1288 | 307 | Eye Movement Desensitization & Reprocessing (EMDR) | | | | False delete |
| ID | Code | Description | Short Description | Ext Code | Outcome Value | HL7 Code | Deleted |
| edit | 1300 | 308 | Prolonged Exposure Therapy for PTSD | | | | False delete |
| edit | 1304 | 309 | Trauma Recovery and Empowerment Model (TREM/M-TREM) | | | | False delete |
| edit | 1303 | 310 | Trauma Focused Cognitive Behavioral Therapy (TF-CBT) – Adult | | | | False delete |
| edit | 1284 | 311 | Cognitive Enhancement Therapy (CET) | | | | False delete |